


Des.

6

Nautally Tittings

A DISTINCTIVE LINE OF SMALL BOAT HARDWARE, BOAT MOULDINGS, BOAT LIGHTS




- BEAUTIFUL AS CHROME
- STRONG AS BRASS
- LIGHT AS ALUMINUM

U. S. Patent Office
MAY 29 1956
Design Division

LIBRARY

MAY 25 1956

U. S. PATENT OFFICE



U. S. Patent Office
MAY 29 1956

Design Division

INDEX

LIBRARY

MAY 25 1956

	Page No.
Bits, Mooring	3, 11
Blocks	16
Boat cover sockets	5
Boat Hook	12
Boatbuilder handle, bow	25
Boat mouldings	8, 9
Bow chocks	3, 26
Bow eyes	3, 5, 26
Bow Plate	5
Braces	
Seat	25
Corner	25
Transom	25
Brackets	
Windshield	6, 12, 27
Wrap-around	6
Cabin window mouldings	8
Chains, oarlock safety	18
Chocks	3, 26
Clamp, tiller rope	17
Cleats, solid base	3
Cleats, streamline	3, 26
Corner braces	25
CHROMALLOY Hardware	26-27
Displays	
Letter	21
Number	21
Drip pan, outboard motor	5
Ensign flag	21
Fastenings, NAUTALLOY	
Screws, ovalhead wood	24
Bolts, ovalhead	24
Nuts	24
Washers	24
Fins, racing	5
Flag	
Ensign	21
Pennant	21
Pole, mahogany	21
Flagpole, mahogany	21
Flagpole, Nautalloy	22
Guides, tiller rope	17
Gunwale moulding	8
Handles	
Bow	4, 25, 26, 27
Deluxe streamline	4
Grab rail	4
Hatch	4
Lifting	4
Stern	4, 27
Hatch moulding	8
Hinge, NAUTALLOY	9
Horns, oarlock	18
Keel moulding	8
Kits, packaged hardware	12, 19
Letters, NAUTALLOY	21
Lights, NAUTALLOY	
Bow	22, 23, 27
Running	22, 23, 27
Stern Pole, adjustable	22, 23, 27
Streamline	22, 23, 27
Battery case attachment	22, 23
Globes, fresnel ball	23
Searchlight	12

U. S. PATENT OFFICE	Page No.
Lights	
Boat trailer	20
Bow	20
Searchlight	21
Self-contained battery	20, 21
Spotlight	21
Stern	20
Motor transom plates, outboard	11
Mouldings, NAUTALLOY	8
Numbers, NAUTALLOY	21
Nylon covered tiller rope	17
Nylon pulleys	13
Oarlocks, noiseless	
Gunwale	18
North River	18
Open	18
Safety chains	18
Pennant flag	21
Plexiglas	
Curved windshield	7, 14-15
Windshield kit	6, 14-15
Port light	
Complete	11
Frame	11
Pulleys, NAUTALLOY	
Snap swivel	13, 16
Swivel eye	13, 16
Tiller rope	13, 16
with Strap	13, 16
Rings, towing	5
Ring and strap	5
Rubber, channel	11
Rubber, deck moulding	11
Sail track, NAUTALLOY	9
Seat braces	25
Sets, packaged hardware	12, 19
Sockets	
Boat cover	5
Flag pole	21
Oarlock	18
Splash rail moulding	8
Springs, tiller rope tension	17
Steerers	
Racing	10
Runabout	10
Step plates	12, 26
Stern chocks	3
Tension springs, tiller rope	17
Tiller rope clamp	17
Tiller rope, Nylon covered	17
Tiller rope guides	17
Transom moulding	8
Transom plate	11, 26
Wire rope, Nylon covered	17
Windshield brackets	6, 12
Windshields	
Curved Plexiglas	7, 14-15
Kit	6
Wrap-around	7, 14-15
Yachtsman cloth	21

A Few Facts Regarding Nautalloy

Nautalloy is our trade mark for the finest aluminum alloy which can be obtained; meeting Navy Specification 46A-1.

Nautalloy Hardware is now being used by the U. S. Navy and Air Forces and must stand the severest tests for strength and resistance to salt water corrosion.

Nautalloy Hardware is cast, machined and polished to a high chrome-like finish. There is no plating to chip or peel off.

Only under the severest salt water conditions will *Nautalloy* dull slightly; and then the original high polish can be restored easily by using a damp rag with mild cleaner or a special polishing cloth, the Yachtman Cloth, see page 21.



Member National Association
of Engine and Boat Manufacturers



Member Outboard Boating Club
of America


PROMPT DELIVERY

Unfortunately the marine business is seasonal in most parts of the country, therefore we realize the importance of prompt delivery to our customers.

We have always prided ourselves on prompt delivery and we are continuing to streamline our operations in order to effect delivery within 24 hours.


For the marine trade we realize that Service is our most important product.

Streamline Nantahoy Small Boat Hardware



**No. 100
STREAMLINE CLEATS**

2" (Fender) drilled for No. 6 Screws	\$.90 each
3½" drilled for No. 6 Screws	1.25 each
6" drilled for No. 12 Screws	2.15 each
8" drilled for No. 12 Screws	3.25 each



No. 200-4

STREAMLINE BOW CHOCKS

For Large Outboards and Small Cruisers

4¾" length - for ½" line. Drilled for #8 Screws
\$2.30 per pr.




**No. 203
STERN CHOCK**

Beautiful Streamline Design

Will take up to ½" line


Length 3 inches Drilled for #8 Screws
\$1.05 each



No. 900 - No. 901 BOW EYE

A low cost, practical, rugged, mooring eye

	Strap Length	Overall Length	Angle	List Price
No. 900	17/8"	3¼"	50°	\$1.50
No. 901	2"	3½"	70°	\$1.65




**No. 108
MOORING BIT**

A graceful fitting

Redesigned in 1953 for Streamline effect

Base 35/8" x 21/8" Height 1½"
Drilled for #8 Screws
\$2.25 each



STRAIGHT BOW CHOCKS

In two popular sizes for Outboard Boats

#230 3" length for ¾" line. Drilled for #8 Screws
\$1.85 per pr.

#240 4" length for ½" line. Drilled for #8 Screws
\$2.30 per pr.



SOLID BASE CLEATS

in two sizes


No. 154

4 inch length — Drilled for #10 Bolts — \$1.15 each

No. 156

6 inch length — Drilled for #12 Bolts — \$1.65 each
See page 24 for bolts for attaching.

Nautalloy Small Boat Handles



The two most popular Stern Lifting Handles used as standard equipment by 200 Outboard Boat Builders.


No. 502 STERN LIFTING HANDLE

Designed especially as a transom lifting handle
Deep grip — non cutting edges
7 inches long Drilled for #10 Screws
\$1.45 each



No. 504 STERN LIFTING HANDLE

Most popular for heavier Outboard Boats
Round grip — All rounded edges
6 inches long Drilled for #10 Screws
\$1.55 each



No. 500 LIFTING OR HATCH HANDLE

Conventional tapered grip design
Length 7 inches—Grip 3 inches—Drilled for #10 Screws
\$1.90 each



No. 505 BOW HANDLE

Lightweight design — For small outboards
Length 6 3/4 inches Drilled for #8 Screws
\$1.90 each

No. 501 BOW HANDLE

Extra heavy duty cross section — Graceful design
Length 7 inches Drilled for #8 Screws
\$2.15 each

DELUXE

STREAMLINE

BOW HANDLE



No. 503

or

CABIN


GRAB RAIL

HANDLE

The many uses for this graceful handle have made it one of our biggest sellers during 1955 Beautiful Outboard Runabout Handle also

2 or 4 Handles serve as grab rails on Cabin
13 inch length Drilled for No. 8 Screws
\$3.55 each

Popular Outboard Accessories




No. 175

BOAT COVER SOCKETS

Just the item to keep that boat cover from sagging. One or two pair with a wood lattice $1\frac{1}{2}'' \times \frac{3}{8}''$ sprung between the gunwales, does the trick.
Length $3\frac{5}{8}''$ Opening $1\frac{3}{4}'' \times \frac{1}{2}''$ Drilled for #10 Screws
Beautiful Chrome-like finish

\$1.35 per pair



No. 425




No. 426

TOWING RING and STRAP

Ring: $1\frac{3}{4}''$ Diameter High Tensile Welded
No. 425 Stamped Strap $3\frac{3}{4}''$ long, $\frac{5}{8}''$ wide
\$1.35 per Set
No. 426 Cast Strap $2\frac{3}{8}''$ long by $\frac{5}{8}''$ wide
\$1.35 per Set


Polished Chrome Finish, Drilled for #8 Screws



No. 600

OUTBOARD MOTOR DRIP PAN

Fits all transoms — For any size motor
Drains gas and oil thru transom
Corrugated back plate with lip to prevent
motor clamps from slipping
Complete with Screws and threaded
Nipple **\$5.95**




No. 300

OUTBOARD RACING FINS

Approved design for the fastest racing hulls	
Depth $4\frac{1}{2}$ inches — Flange 2 inches wide	
Model 300A— $12\frac{1}{2}''$ length, Polished	\$3.95
Model 300A—Satin finish	2.85
Model 300B— $10''$ length, Polished	3.65
Model 300B—Satin finish	2.50


U.S. Patent Office
MAY 29 1956
Design Division



No. 104

BOW PLATE


A graceful heavy duty bow fitting
Length $4\frac{3}{4}$ inches Width $4\frac{1}{2}$ inches
Drilled for #12 Screws
\$2.75 each




BOW EYES (guaranteed unbreakable)

A new principle in Bow Eyes—made with $\frac{3}{8}''$ Stainless Steel Shank. Tested for 5000 lb. pull.


	Dia. of Shank	Length of Shank	I. D. Eye	Thread Length	List Price
903	$\frac{3}{8}''$	3"	1"	$2\frac{1}{2}''$	\$1.50
906	$\frac{3}{8}''$	6"	1"	$5\frac{1}{2}''$	\$1.75




No. 700



No. 701



No. 702



No. 703

**No. 706
CURVED PLEXIGLAS
WINDSHIELD KIT**

A Kit Consisting of 1 Sheet of Scratch-Resisting Plexiglas 12" x 60"

Includes Cardboard for use as Template with Complete Instructions for making a Curved Windshield

Plexiglas only, Brackets not included.

In two colors: Clear \$18.95
Tinted Green \$19.50

**No. 700
STREAMLINE WINDSHIELD BRACKET KIT**

Includes: 2 1/2 ft. Channel Rubber and 5 ft. Rubber Deck Moulding

Side Posts 5 1/2 inches Center Post 8 inches

Center Post in Two Pieces, For Easy Installation

Drilled for No. 10 Screws Which Are Included

\$13.95 per Kit

**No. 701
STREAMLINE WINDSHIELD BRACKET SET**

Side Posts 4 1/2 inches Center Post 8 inches

Center Post in Two Pieces, For Easy Installation

Drilled for No. 10 Screws

Without rubber and screws \$10.25 per Set

With all the necessary rubber & screws \$12.25 per Kit

**No. 702
STREAMLINE WINDSHIELD BRACKET KIT**

New wrap-around styling for use with #710 Series Nautalloy Ready-Cut Curved Plexiglas Windshields. Consists of two side pieces with center wedge to assure firm fastening of windshield to deck. Complete

with five feet of deck rubber and fastenings.

Drilled for #12 Screws

Base 10 1/2" Height 6 3/4"

\$16.95 for complete Kit

Extra Center Wedge \$.35

**No. 703
STREAMLINE WINDSHIELD BRACKET KIT**

Similar design to #702 Brackets with smaller dimensions for use with #710 Series Nautalloy Ready-Cut Curved Plexiglas Windshields. Consists of two side pieces with center wedge. Complete with five feet of deck rubber and fastenings. Drilled for #12 Screws.

Base 6 1/4" Height 6 3/4"

\$11.95 for complete Kit

Extra Center Wedge \$.35

No. 705

PLEXIGLAS WINDSHIELD KIT

A Kit consisting of 2 sheets of scratch-resisting Plexiglas, each 12" x 24" x 3/16" thick
Includes cardboard for use as template with complete instructions for cutting and fitting your own windshield

Plexiglas only, Brackets not included.

\$14.95 per Kit


Ready-Cut Curved Plexiglas Windshields

No. 710

Curved
Windshield
Installed




In 4 sizes
for all
Boats



Typical Installations

Pat. pending



U.S. Patent Office
MAY 29 1956
Design Division

Designed for use with our #702, #703 & #704 Wrap-around Style Windshield Brackets. Ready-Cut Plexiglas Windshields can be installed with these streamlined brackets on **any** Outboard Boat or Cruiser in 5 minutes.

ITEM	MEASUREMENT Width of deck 6 inches forward of coaming (where center of windshield is mounted)	List Prices	
		Clear	Blue-Green Tint
710 A	44-52 inches	\$17.45	\$18.45
710 B } Popular for	53-57 inches	17.45	18.45
710 C } Most boats	58-67 inches	19.45	20.45
710 D	68 inches and wider	19.45	20.45


HOW TO ORDER:

Measure width of deck 6" or 8" forward of coaming (where windshield is to be mounted). Using this measurement, order windshield from above chart.


For boats with center ridge on deck, order extra center wedge for mounting on both sides of ridge. See Page 6 - #702 and #703 Windshield Brackets.

Nautalloy Boat Mouldings

- Extruded in Special High Tensile Nautalloy
- Protect and Beautify Small Boats
- Used by Over 200 Boat Builders in U. S. and Canada
- Easily formed to the Sharpest Radius
- Prevent Wear at Vital Spots



74 Series



No.	B	A	Chrome-Finished Per Foot	Satin Finish Per Foot
74SR	1/2"	3/16"	33c	25c
74A	5/8"	3/16"	34c	26c
74B	3/4"	3/16"	38c	30c
74H	7/8"	3/16"	42c	34c
74D	1"	1/4"	62c	54c
74F	1 1/4"	1/4"	69c	61c


Add 5c per foot on above for drilling.

NO. 80 RUB RAIL MOULDING


Polished-Chrome Finish

Supplied in 12 ft. Lengths

Most popular style for all purpose rub rail moulding. Polished and drilled **39c per foot**



No. 80



No. 627



NO. 627 CABIN DRIP MOULDING

Supplied in 16 ft. Lengths

Can be formed to the sharpest radii or run in straight lengths along sides, front and back of cabin roof.

Chrome-Finished per foot	Satin Finish per foot
51c	43c

Add 5c per foot on above for drilling

NO. 1910 CABIN WINDOW MOULDING


Polished-Chrome Finish

Supplied in 12 ft. Lengths

Ideal and inexpensive highly polished window beading for holding in cabin & port windows
Polished including pins **39c per ft.**



No. 1910



No. 75




NO. 75 HATCH MOULDING

Polished-Chrome Finish

Supplied in 16 ft. Lengths

Insures a smooth and neat surface, screw heads are invisible when hatch is closed
Polished Chrome Finish **75c per foot**



No. 10



NO. 10 HEAVY GUNWALE, RAIL OR TRANSOM MOULDING

Supplied in 16 ft. Lengths

Heavy duty moulding that offers real protection at critical seams

Chrome-Finished per foot	Satin Finish per foot
58c	50c

Add 5c per foot on above for drilling

Nautalloy Boat Mouldings

- BOAT BUILDERS

We will cut to length, drill and countersink to your specifications ready for installation. Write for quotation.

- PRECAUTIONS For Attaching Moulding. Nautalloy moulding should be fastened with good chrome plated, stainless steel or Nautalloy fastenings.

Do not use bare brass or bronze, as it may cause electrolysis.

Width Inches
1 1/2"

Thickness Inches
.040



Stainless Steel
Pin

Diameter
.095 inches

CONTINUOUS CHROME-FINISHED NAUTALLOY HINGE


For Use On Hatch Covers, Locker Doors, Windshields, Etc.

Holes Are Drilled Two Inches Apart, Center to Center

Supplied in 6 foot Lengths

Polished and Drilled 75c per foot

Refer to Page 24 for Complete List of Nautalloy Fastenings



5/8" Sail Track

Especially for Racing Sail Boats

ALUMINUM SAIL TRACK

5/8" Size

Extruded in Special High Strength Alloy

In 8-10-12 ft. lengths. Drilled for #6 Screws

28c per foot

One-third the weight of any other track

Most Popular Mouldings For Outboard Boats



- No. 80 Polished-Chrome Finish RUB RAIL MOULDING

In 12 ft. lengths—Drilled for #6 Screws
39c per foot

- No. 74SR — Satin Finish SPLASH RAIL MOULDING

In 16 ft. lengths—not drilled
25c per foot

- No. 74SR — 4 ft. KEEL STRIPS

Drilled for #6 Screws—Polished—
Chrome finish
\$1.60 each

Every Outboard Should Have These Mouldings

Nautalloy Outboard Steerers

NEW TWO SPOKE DESIGN




No. 800

DELUXE RUNABOUT STEERER

- Featuring the new Safety Lock Nut on each end of shaft for safe operation.
- All Steel parts plated for resistance to salt water.
- Beautiful Chrome-polished Nautalloy Mounting Bracket and Sheave.
- Can be mounted without cutting holes in dashboard.
- Supplied with Chrome plated Bolts and Nuts.
- Featuring the popular Red Steering Wheel Rim.
- A Quality Wheel with Safety Lock Nut Device.

\$16.95 each

All Wheels supplied with Red Rims



No. 805


RACING OUTBOARD STEERER

- Featuring a sturdy heavy duty construction preferred by leading Outboard Racing Drivers.
- Both ends of shaft fastened with a Safety Lock Nut which cannot vibrate loose.
- Beautiful Chrome-polished Mounting Housing protectively covering the sturdy one piece polished sheave.
- Popular Red 2 spoke Steering Wheel Rim with reinforced steel center for maximum rigidity.
- Oilite Thrust Bearing for easier steering.

\$17.50 each

U. S. Patent Office
MAY 29 1956
Design Division

Nautalloy Fittings



No. 05

**No. 05 RUBBER DECK MOULDING
For Windshields**

Supplied in 50 and 100 foot coils
In Dispenser Carton No Waste
Proper Design to Keep Water
From Under Glass
30c per foot




**No. 310
OUTBOARD MOTOR
TRANSOM PLATE**

These bright tumbled plates attached to transom provide positive grip. Contain leather cushion pads to absorb vibration. For all large size outboard motors. $3\frac{1}{2}'' \times 2\frac{1}{4}''$.

Takes clamp diameter $1\frac{7}{8}''$
Drilled for #8 Screws


\$1.25 per Pair



No. 685 PORT LIGHT FRAME

An inexpensive cast Nautalloy Frame $9\frac{1}{8}'' \times 5''$ with complete instructions for installing in $\frac{3}{8}''$ or $\frac{1}{2}''$ plywood sides. Includes directions for installing plastic window screen and sliding plexiglas window, and stainless steel machine screws.


\$5.35



No. 03

**No. 03
CHANNEL RUBBER INSULATION
For Windshields**

Supplied in 50 and 100 foot coils
In Dispenser Carton No Waste
Designed for all Standard Windshield Brackets
15c per foot




No. 114

MOORING BIT

Beautiful chrome-polish ed, designed especially for Outboard and Small Inboard Cruisers. Hollow Center so it can be drilled for below deck rope storage.

Base 4" square Height 4"
Drilled for #12 Screws
\$5.95



**No. 690 COMPLETE PORT LIGHT
For Small Cruisers**

The chrome-finished cast NAUTALLOY #685 Frame, completely assembled with hinged plexiglas window and screen. Spring latches guarantee water-tight window. For mounting in cruiser with $\frac{1}{2}''$ or $\frac{3}{8}''$ sides.


Easy to install

$9\frac{1}{8}'' \times 5''$ O.D.

\$11.95 each



No. 608



No. 704



No. CR315



No. 1004



No. 320

No. 608 SEALBEAM SEARCHLIGHT

360° Swivel on streamline deck mounting— $\frac{1}{4}$ mile ray

4 inch diameter lense — stands $8\frac{1}{2}$ inches high

Only \$16.95 complete

Replacement 6V Sealbeam Lamp \$2.50

Replacement 12V Sealbeam Lamp \$2.75

Supplied in 6V Sealbeam unit unless advised.

No. 704 STREAMLINE WINDSHIELD BRACKETS

Designed for use with #710 Plexiglas Windshields
on page 7

Open style side brackets and center wedge

Base $10\frac{1}{2}$ " Height $6\frac{3}{4}$ " Drilled for #12 Screws

\$16.50 set

No. CR315 CHROME STEP PLATE

Brilliant Chrome plated frame with molded white
rubber pad at no extra cost.

Dimensions: Length: $8\frac{3}{4}$ inches Width: $3\frac{1}{4}$ inches

\$2.95 complete

Frame only \$2.30

Pad only \$.65

No. 1004 DISPLAY PACKAGE HARDWARE SET

Mounted in beautiful counter display box:

1—#503 Deluxe Bow Handle	\$3.55
1 pr.—#230 Bow Chocks	1.85
2—#100 - $3\frac{1}{2}$ inch Cleats	2.50
2—#502 Stern Handles	2.90
1—#100 - 6 inch Cleat	2.15
Complete set with screws	<hr/> \$12.95

Complete set with screws

No. 320

CHROME - NAUTALLOY BOAT HOOK


A really deluxe Boat Hook — chrome-finished — a "Cadillac" of boat hooks. 6 feet long — weighs less than 2 lbs. Of course it floats. Is tapered with Skotch-lite on both ends. Supplied with spring clamps for making storage easy.

\$16.00


Nautalloy PULLEYS NOW AVAILABLE WITH NYLON SHEAVES

- Nylon Sheaves guaranteed not to chip
- Nylon Sheaves absolutely unbreakable and not affected by heat
- No increase in prices

For detailed specifications on pulleys see page 16.



No. 830N
\$1.50



No. 835N
\$1.95



No. 836N
\$1.70



No. 840N
\$2.00

New



No. 831

A new small size pulley at a lower price

For Diameter Rope	Sheave Diameter	Overall Length	Length of Strap	Approximate Weight
5/16"	1 1/4"	2"	2 1/8"	1 oz.

\$1.10 each

NEW FOR 1956 — FREE PHONE ORDER SERVICE

From anywhere in continental U. S. A. and Canada,
phone your rush orders to us COLLECT

Many times during the rush of business you forget to make out the order,
so, just phone the factory (station to station, please) COLLECT.

Your order will be written up and confirmation mailed that day return
Air Mail, thereby saving you paper work. Your order will be on its way
to you many days sooner.

Remember — our factory is as close as your phone. Extra lines have been
installed for this service. Phone Auburn, New York 2-9516—17—18.

Nautalloy Fittings

NAUTALLOY SPORT WINDSHIELD



A Nautalloy
PRODUCT

CURVED UNIVERSAL SIZE
PLEXIGLAS WINDSHIELD

FITS ALL OUTBOARDS

Reprint of this page with order blanks at bottom
Order your supply now for a

FULL PANORAMIC VISION with this one
piece, most rigid, high tensile, scratch-resistant

CHROME EDGE

Nautalloy Fittings



CHROME
Installed at no
extra cost on
each windshield
shipped.
Extra Chrome-Edge — (26c per ft.)

NOT A KIT — but moulded to shape and ready to install. Complete with chrome edge installed on plexiglas. Holes already drilled for easy mounting with angle brackets on the deck of any outboard.



EASY TO INSTALL — it takes just 10 minutes to drill six holes, install angle brackets and rubber deck moulding and fasten windshield to deck.

SIZES FOR ALL BOATS

#720 — Standard — 12 inches high — Clear	Green	\$33.75
Model 48—for boats 46 to 50" widths—	\$30.95	35.75
Model 54—for boats 52 to 56" widths—	32.50	36.75
Model 58—for boats 56 to 60" widths—	33.95	36.75
Model 62—for boats 60 to 64" widths—	33.95	36.75
#721 — Hi-Boy — 15 inches high — Clear	Green	\$41.50
Model 54—for boats 52 to 56" widths—	\$38.25	42.75
Model 58—for boats 56 to 60" widths—	39.50	42.75
Model 62—for boats 60 to 64" widths—	39.50	42.75

ALUMINUM MARINE HARDWARE CO., INC.
AUBURN, NEW YORK

tom, available in any quantity at no charge.
a mailing to your customers.



#725 DELUXE
WING BRACKETS
A deluxe accessory
for extra trim.
In Chrome-Nautalloy
\$5.35/set

Gives a wrap-around wind-
shield that extra Chrome-
fin i s h e d wrap-around
appearance.

PROMPT DELIVERY OF THESE
WINDSHIELDS
AT ALL TIMES


U. S. Patent Office
May 29 1956
Design Division

Nautalloy Fittings

A Complete Line of Chrome-Finished Nautalloy Pulleys

Patent Applied For


- Manufactured in a Special High-Tensile Nautalloy
- All Metal Machined Nautalloy Sheaves
- Tested for 700 lbs. Safe Working Load
- All Wearing Parts 18-8 Stainless Steel



No. 830



No. 832



No. 835



No. 836



No. 840

No. 830 TILLER ROPE PULLEY WITH STRAP

For Diameter Rope	Sheave Diameter	Overall Length	Length of Strap	Approximate Weight
5/16"	1 3/4"	2 3/4"	2 3/8"	2 oz.
\$1.50 each				

No. 832 STRAP ONLY FOR USE WITH No. 830, 835, 836 PULLEYS

Drilled for #8 Screws	Length of Strap	Width of Strap
25c each	2 3/8"	5/8"

No. 835 SWIVEL EYE PULLEY WITH STRAP

For Diameter Rope	Sheave Diameter	Overall Length	Length of Strap	Approximate Weight
5/16"	1 3/4"	3"	2 3/8"	2 oz.
\$1.95 each				

No. 836 SWIVEL EYE PULLEY WITHOUT STRAP

For Diameter Rope	Sheave Diameter	Overall Length	Approximate Weight
5/16"	1 3/4"	3"	1 3/4 oz.
\$1.70 each			

No. 840 SNAP SWIVEL PULLEY

For Diameter Rope	Sheave Diameter	Overall Length	Approximate Weight
5/16"	1 3/4"	4 1/2"	2 oz.
\$2.00 each			

Nautalloy Outboard Steering Accessories



No. 825

UNIVERSAL TILLER ROPE CLAMP

No need to stock 2 or 3 sizes of clamps.

This newly engineered design suitable for $\frac{1}{4}$ ", $\frac{3}{16}$ " and $\frac{1}{8}$ " tiller rope. Extruded from high tensile Nautalloy.

Chrome-like finish

40c each



No. 820

TILLER ROPE TENSION SPRING

Cadmium Plated Steel with 100 lb. Maximum Pull

Most popular size:

Normal length $5\frac{3}{4}$ " — Compression length $7\frac{3}{4}$ "

60c each



No. 810



No. 812

TILLER ROPE GUIDES

Cast in Nautalloy

Streamline with no sharp edges — Chrome-like finish
 $\frac{3}{8}$ " Rope Hole Drilled for No. 6 Screws

#810 Vertical Tiller Rope Guide 36c each

#812 Horizontal Tiller Rope Guide 36c each



No. 816

Vertical Type

No. 815

Horizontal Type

WIRE TYPE TILLER ROPE GUIDES

An inexpensive rope guide

Chrome plated Wire

$\frac{3}{8}$ " Rope Hole


For No. 6 Screws

#816 Vertical Wire Guide

\$25c each

#815 Horizontal Wire Guide

25c each



No. 532

NYLON COVERED WIRE TILLER ROPE

In handy dispenser-coil-box. Tough plastic coated wire core of 920 pound test.

Highest quality tiller rope with great resistance to corrosion and wear.


Excellent flexibility and wearing properties.

$\frac{3}{16}$ " diameter — on 300 ft. spools 25c/ft.

NOISELESS OARLOCKS — with Micarta Bearings

All styles Nautalloy Oarlocks are fitted with Micarta Bearings, which make them smooth in action and noiseless — no clank or wobble. Straight $\frac{1}{2}$ inch Horn shanks machined to fit bearing. Ideal for fishermen and hunters.

Now being cast in New High Tensile Heat-treated Aircraft Alloy 33% stronger than brass or bronze.




No. 400-1

No. 400-1 OARLOCK with 405 Horn

Side and Top Mounting
Socket with North River Horn

Complete	Sockets	Horns
Pair	Only	Only
\$4.95	\$2.55	\$2.40
Drilled for #12 Screws		




No. 400-2

No. 400-2 OARLOCK with 400 Horn

Side and Top Mounting Socket
with Open Horn

Complete	Sockets	Horns
Pair	Only	Only
\$4.95	\$2.55	\$2.40
Drilled for #12 Screws		




No. 405-1

No. 405-1 OARLOCK with 405 Horn

Side Plate Socket
with North River Horn

Complete	Sockets	Horns
Pair	Only	Only
\$4.95	\$2.55	\$2.40
Drilled for #12 Screws		




No. 405-2

No. 405-2 OARLOCK with 400 Horn

Side Plate Socket
with Open Horn

Complete	Sockets	Horns
Pair	Only	Only
\$4.95	\$2.55	\$2.40
Drilled for #12 Screws		




No. 406-1

No. 406-1 OARLOCK with 405 Horn

Gunwale Socket
with North River Horn

Complete	Sockets	Horns
Pair	Only	Only
\$4.95	\$2.55	\$2.40
Drilled for #12 Screws		




No. 406-2

No. 406-2 OARLOCK with 400 Horn

Gunwale Socket
with Open Horn

Complete	Sockets	Horns
Pair	Only	Only
\$4.95	\$2.55	\$2.40
Drilled for #12 Screws		




No. 400 B

No. 400 B OARLOCK SAFETY CHAINS

Cadmium Plated-Steel


50c Pair

Packaged Hardware Sets




No. 1002 Set

1 pr. No. 200-4 Bow Chock	\$2.30
1 No. 100-6" Cleat	2.15
<hr/>	
Complete Set with Screws	\$4.45



No. 1001 Set

2 No. 100 3 1/2" Cleats	\$2.50
1 No. 108 Mooring Bit	2.25
1 pr. No. 200 Bow Chocks	2.30
<hr/>	
Complete Set with Screws	\$7.05



No. 1003 Set

1 No. 100-6" Cleat	\$2.15
2 No. 502 Stern Handles	2.70

Complete Set with Screws

Special Packaged Sets For Kit Boats

Hardware Kit For 8-Ft. Pram

1 No. 425 Towing Ring & Strap	\$1.35
2 No. 502 Stern Handles	2.70
1 pr. No. 405 Oarlocks	4.95
<hr/>	
Complete with Screws	\$9.00

Hardware Kit For 10-Ft. Racing Pram


1 No. 425 Towing Ring & Strap	\$1.35
2 No. 502 Handles	2.70
1 pr. No. 405 Oarlocks	4.95
1 No. 100 - 3 1/2" Cleat	1.25
<hr/>	
Complete with Screws	\$10.25

Hardware Kit For 12 or 14 Ft. Runabout

1 No. 501 Bow Handle	\$2.15
2 No. 502 Stern Handles	2.70
1 pr. No. 405 Oarlocks	4.95
<hr/>	
Complete with Screws	\$9.80

Hardware Kit For Deluxe Runabouts

1 No. 503 Deluxe Bow Handle	\$3.15
2 No. 502 Stern Handles	2.70
1 No. 100 - 6" Cleat	2.15
1 pr. No. 200 Bow Chocks	2.30
1 pr. No. 405 Oarlocks	4.95
Complete with Screws	\$15.25



No. 700 Windshield Bracket

Complete with Deck Rubber & Mounting Screws
\$13.95 set


Deluxe Windshield Accessories For Kit Boats




No. 705 Plexiglas Kit

2 Sheets 12" x 24" with complete instructions for
making your own Windshield
\$14.95 Set

Small Boat Lights




No. 607



No. 604



No. 605



No. 603

No. 607

BOAT TRAILER TAIL-LIGHT

Single cell, self contained battery operated Boat Trailer Light. Chrome plated Brass lamp case. Positive turn switch. Red Jewel Reflector and Red Signal flag all mounted on Steel Channel with clamp or screw. Easily attached to boat transom.

\$3.75 each

No. 604 STERN LIGHT

An effective Light for use on the stern of all small boats. Operates on 1 standard flashlight cell for 12 continuous hours. Will mount on staff, transom or Outboard Motor — Clear Plastic Lense. Packed 12 to carton.

Only \$1.25 each

No. 605 STERN LIGHT POST AND FLAG POLE

Beautiful Chrome Finished *Nautalloy* Post with clear Plastic Lense Light. Operates on 1 standard flashlight cell for 12 continuous hours. Clamp bracket fastens permanently and thumb screw holds light and post to boat. Easily removed for locker storage — no wires to disconnect — 24 inch height.

Only \$5.25


No. 603

COMBINATION BOW LIGHT

A beautiful low cost light for use on Class A Boats — Red and Green Lenses. No wiring required. Operates on Standard 1 $\frac{1}{4}$ " flashlight cells — 12 hours of light. Plastic Lenses have a sparkle for high visibility. Packed 6 to carton.

Only \$2.95 each

Note: Items on this page not manufactured by us. Handled as a convenience to our customers.



No. 606

No. 606

SEARCHLIGHT

Two cell self-contained battery searchlight with sharp focus lens. Swivel bracket for vertical or horizontal focus. 5 inch base, 7½ inch height. Lamp can be removed for locker storage.

\$7.65 each



THE YACHTSMAN'S CLOTH

"The Cloth with the Polish In It"

Shines all metals. Individually boxed. Manufactured especially for the Marine trade. 12 boxes per display carton.

\$6.00 per display



No. 910

No. 910

PENNANT FLAG

10" x 15" Royal Blue background with white star. Sewed canvas heading with grommets.

\$1.75 each



No. 920

MAHOGANY FLAG POLE

Turned from solid seasoned mahogany. Natural finish, varnished. 18" length for 5/8" socket

\$1.75 each



No. 915

No. 915

ENSIGN FLAG

12" x 18" U. S. Yacht Ensign. Sewed canvas heading with grommets.

\$1.75 each



No. 925

FLAG POLE SOCKET

Base 3½" x 2¼" Height 2", for 5/8" pole Beautiful Streamline Design

\$1.70 each

A B C

STANDARD 3 INCH STAMPED LETTERS AND NUMBERS

Highly Polished — non corroding

Packed 10 per box with pins

\$1.50 per box

3 4 5

Packed in Handsome Display Boxes for Ease in Handling
Save money by buying display assortment

NUMBER DISPLAY

100 Numbers \$13.00
(Save \$2.00 per display)

LETTER DISPLAY

250 Letters \$32.50
(Save \$5.00 per display)




Number Display



Letter Display

Note: All items except No. 925 not manufactured by us. Handled as a convenience to our customers.

Complete Line of Chrome-Finished Nautalloy Lights for Outboards



No. 602

STREAMLINE BOW LIGHT

Made from Cast Nautalloy — Chrome Finish.

Fitted with non breakable Fresnel Lenses.

6-8 V. Bulb included

Class A—Light

Base Length 5 $\frac{7}{8}$ "

\$5.95 each

Drilled for 5/8" Flag Pole

Lense Height 2 $\frac{1}{4}$ "



No. 601

Our No. 602 Bow Light equipped with 2 cell flashlight case and clamps for attaching below deck or gunwale. Forty-eight hour life with 2 regular flashlight batteries. Includes 3 ft. wire extension.

Uses GE Lamp #291

\$8.90 per set



No. 612

ADJUSTABLE STERN POLE LIGHT

Chrome-polished Nautalloy, 1 $\frac{1}{2}$ " Fresnel Globe

6-8 V. Bulb included, Length Overall 20"

Diameter Pole 11/16"

Completely wired ready for use

\$5.95 each

No. 611

20" ADJUSTABLE STERN POLE LIGHT

With 2 cell flashlight case attachment.

Includes battery case, attaching clamps,

3 ft. wire extension.

\$8.90 per set



Nautalloy Flag Pole

All metal, chrome finish, in two sizes to fit all combination lights.

#921 — 5/8" diameter — \$2.00

fits our 601 and 602 Lights

#922 — 3/4" diameter — \$2.00

fits our 620 and 621 Lights




No. 601 B

BATTERY CASE ATTACHMENT ONLY

A 2 cell Battery Case with Switch, two clamps, a 3 foot wire extension with miniature screw plug, and light bulb. With this combination most Marine lights can be rewired for battery operation.

\$2.95 per set

A Complete Line of Chrome-Finished *Nautalloy* Lights for Large Outboards and Cruisers



No. 613
30 inch

ADJUSTABLE STERN POLE LIGHT

Identical to NAUTALLOY #612

Length 30"

\$6.95 each

No. 614
30 inch

ADJUSTABLE STERN POLE LIGHT

With 2 cell flashlight case attachment
Includes battery case, attaching clamps,

3 ft. wire extension

\$9.90 per set




No. 615

Fits Pole Lights

#611, #612, #613, #614

U. S. Patent Office
MAY 29 1956
Design Division



No. 620

COMBINATION BOW LIGHT

Class I for cruisers up to 26 feet and large outboards. Supplied with double contact 6 volt bulb in bayonet socket with wire leads, ready for easy installation.

Base 4" x 6" Height 3 $\frac{1}{4}$ "

Drilled for $\frac{3}{4}$ " Flag Pole

\$7.95 each



No. 621

Our No. 620 Bow Light equipped with 2 cell flashlight case and clamps for attaching below deck or gunwale. Forty-eight hour life with 2 regular flashlight batteries.

Includes 3 ft. wire extension.

Uses GE Lamp #291

\$10.90 per set

No. 615

FRESNEL BALL GLOBES

360° closed top. Screw base 1" diameter.
Opening 13/16" Height overall 17/8"

Clear glass only

\$.75 each

Fastenings For Nautalloy Hardware

Proper Fastenings for Nautalloy

In fresh water no precautions need to be taken regarding fastening *Nautalloy*. However in salt water electrolysis may occur if certain dissimilar metals come in contact. Therefore in salt water *Nautalloy* should be fastened with *Nautalloy* (Aluminum), Stainless Steel, Monel, or a good Chrome Plated Brass Fastening. Never use bare brass or bronze in contact with *Nautalloy*.

Nautalloy Aluminum Oval Head Wood Screws For Attaching *Nautalloy* Hardware and Boat Mouldings

	Diameter			
	No. 6	No. 8	No. 10	No. 12
Length	List price per gross			
3/4"	\$3.27			
1 "	\$3.72	\$3.96	\$5.28	\$6.12
1 1/4"	\$4.00	\$5.64	\$6.48	\$6.84

Nautalloy Oval Head Bolts, Nuts and Washers For Attaching *Nautalloy* Hardware


	Diameter	Length	Description	List Price Per Gross
	# 8-32	2"	Oval Head Bolts	\$5.76
	# 8-32		Nuts for Above	3.82
	# 8		Washers	1.94
	#10-24	2"	Oval Head Bolts	7.52
	#10-24		Nuts for Above	4.32
	#10		Washers	2.88
	#12-24	2"	Oval Head Bolts	8.64
	#12-24		Nuts for Above	5.28
	#12		Washers	2.88

SPECIAL SERVICES TO BOAT BUILDERS

Nautalloy Hardware is used as standard equipment by over 200 Outboard Boatbuilders in the United States and Canada.

To these builders we offer the service of supplying Custom made fittings to their own blueprints or patterns. If you have any special needs write for our free engineering service.

U.S. Patent Office
MAY 29 1956
Design Division




SPECIAL BOATBUILDER BOW HANDLE

A personalized Bow Handle for every builder
Your name cast in Chrome-polished letters
with red or blue background

Length — 6 inches Drilled for No. 8 Screws
Minimum Order 100
Write for quotation


NEW ITEMS DESIGNED ESPECIALLY FOR BOATBUILDERS



SEAT BRACE

SEAT BRACES: Custom-built, chrome polished NAUTALLOY seat braces, built to boatbuilders' own specifications in any width, bent to proper angle. Send sample seat brace or sketch for quotation.

CORNER BRACES: An inexpensive solid cast NAUTALLOY corner brace 2" x 2" suitable for all types of bracing and support. Bright tumbled finish. Write for quotation.



No. 305 CORNER BRACE

A FEW BOATBUILDERS USING Nautalloy HARDWARE

Albright Boat Industries
Alcort, Inc.
Aluma Craft
American Boat
Amundson Boat Works
Associated Naval Architects
Atlanta Boat Works
Badger Boat Builders
Barbour Boats
Guy Barnette & Co.
Bay City Boats, Inc.
Bomoseen Boat Co.
Burdette Boat Builders
Bryant's Marina
Carter Craft Corp.
Century Boat Co.
Chetek Boat Corp.
Chris Craft Corp.
Clyde Boat Co.
Continental Products Corp.
Correct Craft, Inc.
Corsair Boats
Cruisers, Inc.
Culver Craft of Florida, Inc.
Custom Craft
Davis Boats
Egg Harbor Boat Co.

Feathercraft, Inc.
Fleetcraft Corp.
Fonseca Boat Works
General Marine Co.
German Boat Co.
Grumman Aircraft Corp.
Harwill, Inc.
Heffner Boat Co.
Higgins, Inc.
Hi-Liner Boat Co.
Henry R. Hinckley Co.
Industrial Boat Works
Inland Lakes Boat Works
International Shipbuilding Corp.
Jackson Boat Co.
C. E. Johnson & Sons
Hubert Johnson Boat Works
Kay Boat Works
G. Flanders Keller
Keystone Boat Works
Lakefield Boats
Larson Boat Works
Lippincott Boat Works
Lone Star Boat Mfg. Co.
Loomis Boats
Lowell Boat Works
Lyman Boat Works

McKenzie Boat Co.
McNeil Boat Works
Melcraft Co.
Metal Boat Co.
Miami Shipbuilding Corp.
Minnetonka Boat Works
Molded Products
Morgan Yacht Basin
Narragansett Boat Co.
Nipissing Boat Co. Ltd.
Northwest Plastics, Inc.
Ole Lind Boat Works
Orlando Boat Co.
Orr Craft, Inc.
Ozarka Boats
Pabst Boats
Penn Yan Boats, Inc.
Peterborough Canoe Co. Ltd.
Peterson Bros. Boat Works
Plews Built Boats
Polarski Boat Works
Port Carling Boat Works
Ray Craft
Red Head Boat Co.
Regal Products
Reinell Boat Works
Ribble Boat Works

Richardson Boat Co.
Sandusky Boat Co.
E. F. Schroeder Boat Works
Shell Lake Boat Co.
Sid-Craft Boat Works
Skaneateles Boat Co.
Small Boats, Inc.
Southeast Boat Co.
Southwest Mfg. Co.
Spin-Craft Boat Co.
Stan-Craft Boat Co.
Stiles Boat Works
Sumner Boat Co.
Swift Woodcraft, Inc.
Switzer Craft
Thompson Bros. Boat Mfg.
Topper Boat Co.
Trojan Boats, Inc.
VanCamp Boat Co.
Ventnor Marine Corp.
Wagemaker Co.
Ward Bros. Mfg. Co.
Welin Davit & Boats
Winner Mfg. Co.
Wizard Boats, Inc.
Young Boat Mfg. Co.


A
Nauticalloy Fittings

PRODUCT



CR100

Triple Chrome Plated




CR230

Triple Chrome Plated




CR310

Triple Chrome Plated




CR315

Triple Chrome Plated



CR505

Triple Chrome Plated



903NCR - 906NCR

Triple Chrome Plated

CHROMALLOY HARDWARE

Triple Chrome Plated

No. CR100 STREAMLINE CLEATS

No.	Length	Base	Weight	List Price
CR100—2"	1 1/2 x 1		1 oz.	\$.85
CR100—3"	2 3/8 x 1 3/8		3 oz.	1.15
CR100—4 1/2"	3 x 1 3/4		8 oz.	2.25
CR100—6"	3 1/2 x 2		16 oz.	3.25

No. CR230 STREAMLINE SKENE BOW CHOCKS

Length	Width	Weight	List Price
3 1/2"	7/8"	4 oz. per pair	\$2.25

No. CR310 OUTBOARD MOTOR TRANSOM PLATES

with Leather Pads

Length	Inside Diam.	Weight	List Price
3 3/8"	1 3/4"	2 3/4 oz.	\$1.25 per pr.

No. CR315 STEP PLATES

Outside Dimensions	Weight	Frame Only	Complete with White or Black Pad
8 3/4 x 3 1/4	8 oz.	\$2.30	\$2.95

No extra charge for white rubber pads.
Specify white or black pads when ordering.

No. CR505 BOW LIFTING HANDLE

Beautiful new streamline design

Length	Height	Weight	List Price
6 1/2"	2"	5 1/2 oz.	\$2.50

Triple Chrome Plated BOW EYES (guaranteed unbreakable)

A new principle in Bow Eyes — made with 3/8" Stainless Steel Shank. Tested for 5000 lb. pull.

	Diameter of Shank	Length of Shank	I. D. Eye	Thread Length	List Price
903NCR	3/8"	3"	1"	2 1/2"	\$1.75
906NCR	3/8"	6"	1"	5 1/2"	\$1.95

CHROMALLOY - Triple Chrome Plated

A
Neutralloy fittings
PRODUCT




CR506

Triple Chrome Plated




CR504 — CR507

Triple Chrome Plated




CR701

Triple Chrome Plated



602NCR

Triple Chrome Plated



612NCR

Triple Chrome Plated

U. S. Patent Office
MAY 29 1956
Design Division

No. CR506 DELUXE BOW HANDLE

A new 1956 design — no center pad —
more streamline design

	Length	Height	Weight	List Price
	2 1/8"	1 3/4"	10 oz.	\$3.45

No. CR504 - CR507 STERN LIFTING HANDLES

Style	Length Outside	Length Inside	Weight	List Price
CR504	6"	3 1/2"	7 1/4 oz.	\$1.80
CR507	5 3/4"	3 3/4"	3 1/2 oz.	\$1.35

NEW 50° WINDSHIELD BRACKETS

Center bracket in two pieces for easy mounting.
End brackets beveled for deck crown.

Height Center	Height Ends	Weight	List Price
9"	7"	3 1/2 lbs.	\$16.50

No. 602NCR COMBINATION BOW LIGHT

Class A Light fitted with non-breakable Fresnel Lenses.
Base length 5 7/8 inches Lense Height 2 1/4 inches
Drilled for 5/8" flag pole 6-8 volt bulb
\$6.95

No. 612NCR ADJUSTABLE STERN POLE LIGHT

A beautiful chrome plated adjustable light
with 1 1/2" Fresnel Globe

Length Overall 20 inches 6-8 volt bulb
Pole diameter 11/16" Completely wired ready for use
\$6.95


Nautalloy Fittings

Make Notes Here

U. S. Patent Office
MAY 29 1956
Design Division

DESIGN TO
DESIGN DIV.

U. S. Patent Office
MAY 29 1956
Design Division



RETURN TO
DESIGN DIV.

PRINTED IN U. S. A.

Nautalloy Fittings

NAUTAFORM SPORT WINDSHIELD



A **Nautalloy**
PRODUCT

CURVED UNIVERSAL SIZE PLEXIGLAS WINDSHIELD FITS ALL OUTBOARDS

FULL PANORAMIC VISION with this one piece, moulded, high tensile, scratch resistant, non reflecting plexiglas.



NOT A KIT — but moulded to shape and ready to install. Complete with chrome edge installed on plexiglas. Holes already drilled for easy mounting with angle brackets on the deck of any outboard.

EASY TO INSTALL — it takes just 10 minutes to drill six holes, install angle brackets and rubber deck moulding and fasten windshield to deck.


SIZES FOR ALL BOATS

#720 — Standard — 12 inches high — Clear	Green	\$30.95	\$33.75
Model 48—for boats 46 to 50" widths—		\$38.25	\$41.50
Model 54—for boats 52 to 56" widths—		39.50	42.75
Model 58—for boats 56 to 60" widths—		39.50	42.75
Model 62—for boats 60 to 64" widths—		39.50	42.75

ALUMINUM MARINE HARDWARE CO., INC.
AUBURN, NEW YORK




CHROME-EDGE
Installed at no extra cost on each windshield shipped.
Extra Chrome-Edge — (26c per ft.)



#725 DELUXE
WING BRACKETS
A deluxe accessory
for extra trim.
In Chrome-Nautalloy

\$5.35/set



Gives a wrap-around windshield that extra Chrome-finished wrap-around appearance.

PROMPT DELIVERY OF THESE WINDSHIELDS AT ALL TIMES

U. S. Patent Office
Design Division
W 29 1956